

# MSDS -

# **MATERIAL SAFETY DATA SHEET**



#### **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

#### 1.1 Product Details

Product Name . Weather and Boil Proof (WBP) BBCC Plywood

Use . Residential, Commercial, Industrial Construction,

Fitments and Exterior Application

# 1.2 Company Identification

Manufacturer's Name . Besgrade Plywood Sdn. Bhd.

Manufacturer's Address . Batu 10, Jalan Pokok Sena Mukim Jabi, 06400 Alor

Star, Kedah, Malaysia.

Telephone No . (604) 7822936

Website . www.besgrade.com

#### SECTION 2: COMPOSITION / INFORMATION ON INGREDIENT

## **Composition:**

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable are classified as hazardous to health or the environment.

<b>Substance/Chemical Entity</b>	CAS No.	<b>Properties by</b>
Weight		
Wood Veneer	None	>88%
Phenol Formaldehyde Resin	None	<12%

#### **SECTION 3: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance . The products are manufactured as pressed boards

ranging in standard thickness from 3.6mm to 25mm. They are made from Malaysian Tropical Hardwood

veneers which are bonded together with resin.

Odour . Dependent on wood species and time since dust was

generated.

Solubility . Insoluble on water

Boiling Point : Not applicable

Melting Point (°C) . Not applicable

Vapour Pressure (kPa) . Not applicable

Percentage Volatiles . Not applicable

Evaporation Rate . Not applicable

Density  $(kg/m^3)$  . 500-750

Flash Point . Not applicable

Auto Ignition Temperature . -

Flammable in air . Fine airborne dust, generated when the product is

machined, can ignite spontaneously.

#### **SECTION 4: HAZARD IDENTIFICATION**

General Information . Dust generating from sawing, sanding or machining of

this plywood may post health hazard. The product also may release small quantities of formaldehyde in

gaseous form.

Emergency Overview . - Physical state: Solid (Panel)

- Color: Varies with formulation - Odor: Varies with formulation

Warning . Inhalation of wood dust may cause allergy respiratory

reaction depending in wood type. Dust may cause eye

and respiratory tract irritation.

Potential Health Effect

(for wood dust)

- Inhalation: Dust may cause nasal dryness, respiratory tract irritation, and allergic respiratory reactions.

- Eye contact: Dust may cause eyes irritation. Exposures may include eye tearing, redness and

discomfort.

- Skin contact: Dust may cause mechanical irritation.

Exposure may cause irritation.

#### **SECTION 5: FIRST AID MEASURES**

Swallowed . Drink a glass of water.

Eye contact . In case of contact with dust, immediately flush eyes

with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical

attention.

Skin contact . Wash with mild soap and running water. If skin

irritation develops, get medical attention. Wash clothes

before reuse.

Inhalation . Leave the dusty area. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen. Get

medical attention.

Advice to Doctor . Treat symptomatically.

#### **SECTION 6: FIRE FIGHTING MEASURES**

Extinguishing Media . Water spray, Carbon Dioxide or dry chemical.

Special Fire Fighting

**Procedures** 

. Wear self-contained breathing apparatus and protective

clothing.

Unusual Fire & Explosion

Hazards

Dust may form explosive dust-air mixtures. Depending on moisture content and particle diameter, wood dust

may explode in the presence of an ignition source.

**Hazardous Combustion** 

**Products** 

Burning of wood can produce irritating fumes and gases

including carbon monoxide, carbon dioxide, aldehydes

and organic acids.

#### **SECTION 7: ACCIDENTAL RELEASE MEASURE**

Personal Precautions . Wear appropriate personal protective equipment (see

section 9)

Leak / Spill Clean-up

Method

Wood dust generated from sawing, sanding or

machining may be vacuumed or shovelled for recover

or disposal. Avoid generating dust.

#### **SECTION 8: HANDLING AND STORAGE**

Handling . No special handling precautions are warranted for

product in purchased form.

When the product is sawed, sanded, machined or other abrading processes, wear appropriate personal protective equipment (See Section 9). Avoid breathing dust. Avoid getting dust into eyes. Use only with adequate ventilation. Wash thoroughly after handling.

Storage . Store in cool, dry, well ventilated place away from

source of heat, flames or sparks.

#### SECTION 9: EXPOSURE CONTROL AND PERSONAL PROTECTION

Engineering Controls . Use process enclosures, local exhaust ventilation, or

other engineering controls to keep airborne

contaminants below established exposure limits.

Respiratory Protection . If engineering controls do not keep airborne

concentrations below established exposure limits, wear a NIOSH-approved respiratory equipped with high efficiency particulate filter. Contact health and safety

professionals for specific information.

Eye Protection When sawing, sanding or machining this product, wear

approved safety goggles with side shields. Wear a full-

face respirator, if needed.

Hand Protection Wear leather gloves. Contact health and safety

professionals for additional information.

Skin Protection Wear disposable coveralls, lab coat, or apron to prevent

skin contact.

Hygiene Measure Always wash hand before eating and drinking.

#### **SECTION 10: STABILITY AND REACTIVITY**

Stability . The product is stable.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

Routes of Entry . Inhalation and contact with skin and eyes.

Skin contact . Causes irritations and sensitisation.

Skin Absorption . Not applicable.

Eye contact . Causes eye irritations.

#### **SECTION 12: ECOLOGICAL INFORMATION**

No Data Available

#### **SECTION 13: DISPOSAL INFORMATION**

General Information . Dispose in accordance with applicable federal, state and

local regulations.

Disposal Method . No specific disposal method required

Recycle . This panel is recyclable.

#### **SECTION 14: TRANSPORT INFORMATION**

This product is not regulated.

#### **SECTION 15: REGULATORY INFORMATION**

a. Proposed classification
b. Risk Phrase
c. Safety Phrase
N/A
N/A

## **SECTION 16: OTHER INFORMATION**

This information is furnished without warranty, expressed or implied, except that is accurate to the best of our knowledge. The data on this sheet relate only to the specific material designated herein. We assume no legal responsibility for injury or damage arising from use or reliance upon these data. Precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulation.